

KOOL SEAL ELASTOMERIC ROOF COAT

10 YEAR WARRANTY



- Energy Saving up to 35%
- Reflects 90%+ of the sun's rays
- Designed to be durable in any climate
- Higher solids for better coverage
- Forms a thick rubber-like blanket of protection
- Expands and contracts - clings to your roof in all temperatures
- Protects against moisture
- Cured elastomeric film is mildew and algae resistant
- Helps to absorb sound
- Environmentally compliant
- Soap and water cleanup - while wet



426821 3.6 QUARTS ROOF COATING
426655 4.75 GALLONS ROOF COATING

KOOL SEAL ELASTOMERIC ECONOMY ROOF COAT

5 YEAR WARRANTY



- Energy Saving up to 35%
- Reflects 90%+ of the sun's rays
- Forms a thick rubber-like blanket of protection
- Protects against moisture
- 100% acrylic elastomeric resin for durability and long life
- Expands and contracts with your roof
- Higher solids for better coverage
- Cured elastomeric film is mildew and algae resistant
- Soap and water cleanup - while wet



426625 4.75 GALLONS

KOOL SEAL BLUE LABEL / PREMIUM ALUMINUM ROOF COAT

5 YEAR WARRANTY



- Protects against moisture
- Maintains aluminum color and reflectivity
- Unique asphalt and aluminum formulation
- Specially developed to provide longer life
- Reduces heat build up and keeps building interiors cooler
- Expected energy savings up to 30%
- Easy stir formula
- Reinforced with fiber for durability



426841 3.6 QUARTS BLUE LABEL / PREMIUM
426645 4.75 GALLONS BLUE LABEL / PREMIUM

KOOL SEAL ECONOMY ALUMINUM ROOF COAT



- Expected energy saving up to 20%
- Asphalt-based Aluminum protects against moisture and damaging UV rays
- Reflects sunlight to keep building interiors cooler
- Reinforced with fiber for durability



426871 3.6 QUARTS
426675 4.75 GALLONS

ROOF SEAL / PATCHING CEMENT



- Stops leaks on wet or dry surfaces
- Formulated with durable acrylic resin and special reinforcing materials
- Long-lasting, tough, flexible patch
- Seals out water
- Must be topcoated
- Mildew resistant
- Blends in on existing white roofs
- Soap and water cleanup - while wet
- Resists cracking, peeling and blistering



436121 3.6 QUARTS ROOF SEAL / PATCH CEMENT

WET OR DRY PLASTIC ROOF CEMENT

- A blend of selected asbestos
- Smooth, easy-working consistency which adheres to wet or dry surfaces
- Flexible after application, expanding and contracting on the surface to which it is applied
- High resistance to weathering
- Provides excellent durability against all the stresses and wear to which such products are normally exposed



431651128 CEMENT ROOF COAT 3.6 QUARTS

3" CHIP BRUSH

W/ WOOD HANDLE



42143 3" CHIP BRUSH

ROOF COAT BRUSH & HANDLE

BRUSH AND HANDLE SOLD SEPARATELY



42972 WOODEN BRUSH 4-3/4" - 84/CTN

42989 WOODEN HANDLE 48" - 50/BDLE

CAULKING GUN



6277 FOR ALL STANDARD SIZE CAULK - 24/CTN



Please visit our website at www.stylecrestproducts.com

ALL PURPOSE CAULK

- SILICONIZED ACRYLIC LATEX
- WHITE
- MILDEW RESISTANT
- WATER CLEAN UP
- INDOOR / OUTDOOR
- MEETS ASTM C-834
- NONFLAMMABLE



43306 ALL PURPOSE CAULK - 6 OZ

ACRYLIC CAULK

- WHITE
- 15 YEAR WARRANTY
- PAINTABLE
- NON-STAINING
- WATER CLEAN UP
- INDOOR / OUTDOOR



43169402 WHITE LATEX CAULK- 10.2OZ

BUTYL GUTTER SEAL CAULK

WHITE

- DESIGNED FOR SEALING
- ALUMINUM GUTTERS
- VINYL GUTTERS
- DOWN SPOUTS
- METAL FLASHING
- TRIM PLATES AND
- EXTERIOR BUILDING MATERIALS



43169702 WHITE BUTYL SEAL CAULK - 10.3 OZ

CLEAR SS200 CAULK

- CLEAR
- QUICK DRYING
- PAINTABLE
- NON-STAINING
- EXCELLENT ADHESION



43169800 CLEAR SS200 CAULK-10.3 OZ

WET/DRY PLASTIC ROOF CEMENT

FORMS AN ELASTIC, DURABLE AND WATER RESISTANT SEAL
PROVIDES MAXIMUM RESISTANCE TO WEATHERING

USES:

- ASPHALT ROOFS
- METAL ROOFS
- COMPOSITION ROOFS
- AROUND CHIMNEYS
- DOWN SPOUTS
- EAVES



431651011 WET / DRY SURFACE CEMENT - 11 OZ

SILICONE SEALANT

CLEAR OR WHITE

IDEAL FOR SEALING AROUND:

- PANELS
- WINDOWS
- DOORS
- SKYLIGHTS
- ALUMINUM SIDING
- INTERIOR / EXTERIOR BUILDING MATERIALS



43169300 CLEAR CAULK - 10.2 OZ

43169302 WHITE CAULK - 10.2 OZ

SUBFLOOR & CONSTRUCTION ADHESIVE

MEETS ASTM-C-557, ASTM-D-3498, APA-AFG-01

- EXTERIOR GRADE
- WEATHER PROOF AND PERMANENT
- ELIMINATES SQUEAKS

BEST FOR:

- PERMANENT WOOD FOUNDATIONS
- PLYWOOD SUBFLOORS
- DECKS
- SIDING
- FENCING



431017 SUBFLOOR & CONSTRUCTION ADHESIVE - 10.5 OZ - 12/BOX

ALL PURPOSE CONSTRUCTION ADHESIVE


- FOR GENERAL CONSTRUCTION, REMODELING, MAINTENANCE & REPAIR PROJECTS
- HIGH STRENGTH PERMANENT BOND
- HEAT AND WATER RESISTANT
- QUICK-GRAB FORMULA



436024 ALL PURPOSE CONSTRUCTION ADHESIVE

CARTON SEALING TAPE


GENERAL PURPOSE



602550 2" X 100 YARDS - 36/CTN

INSULATION & HVAC TAPE


ALUMINUM FOIL



- 602000 FOIL TAPE UL181 2" X 60 YARDS - 24/CASE
- 602857B BLACK CLOTH DUCT TAPE UL181 2" X 60 YARDS - 24/CASE
- 602857S SILVER CLOTH DUCT TAPE UL181 2" X 60 YARDS - 24/CASE
- 602509 ALUMINUM FOIL TAPE 2" X 50 YARDS - 24/CTN

STRAPPING TAPE


GENERAL PURPOSE



601260 1/2" X 60 YARDS - 72/CTN


TEFLON THREAD SEAL TAPE

FOR METAL, PLASTIC OR RUBBER PIPE THREADS



- 601226 1/2" X 260" - 144/CTN
- 603426 3/4" X 260"

INSULATION & HVAC TAPE
ALUMINUM FOIL



- 602000 FOIL TAPE UL181 2" X 60 YARDS - 24/CASE
- 602857B BLACK CLOTH DUCT TAPE UL181 2" X 60 YARDS - 24/CASE
- 602857S SILVER CLOTH DUCT TAPE UL181 2" X 60 YARDS - 24/CASE
- 602509 ALUMINUM FOIL TAPE 2" X 50 YARDS - 24/CTN

PEEL N' SEAL

THE BETTER WAY TO FINISH LOW SLOPE ROOFS AND MAKE QUICK WATERPROOF REPAIRS. SELF - STICK ALUMINUM ROLL ROOFING




- 43334 SILVER 4" X 33.5'
- 43336 SILVER 6" X 33.5'
- 433312 SILVER 12" X 33.5'
- 433318 SILVER 18" X 33.5'
- 433336 SILVER 36" X 33.5'



Please visit our website at www.stylecrestproducts.com

PUTTY TAPE

COLORMETRIC
FOR VERTICAL
APPLICATIONS
ON DOORS AND
WINDOWS



- 43120334 1/8" X 3/4" X 30' - 24/CTN
- 43120410 1/8" X 1" X 30' - 16/CTN
- 43120615 1/8" X 1-1/2" X 30' - 12/CTN

BUTYL TAPE

BLACK / GRAY
FOR HORIZONTAL
APPLICATIONS
ON SKYLIGHTS



- 6011218 BLACK BUTYL TAPE - 1/8" X 1-1/2" X 30'
- 603418 BLACK BUTYL TAPE - 1/8" X 3/4" X 30'
- 60183430 GRAY BUTYL TAPE - 1/8" X 3/4" X 30'

ELECTRICAL TAPE



- 603420 BLACK 3/4" X 20 YARDS 200/CTN


FLEX-MEND



- 60400 FLEX-MEND 4" X 180' ROLL

CLOTH DUCT TAPE


GENERAL PURPOSE
HVAC & DUCT APPLICATIONS



- 602609 BLACK 2" X 60 YARDS - 24/CTN
- 602603 SILVER 2" X 60 YARDS - 24/CTN

BOTTOM BOARD TAPE

HIGH TACK
BOTTOM BOARD USE
BLACK



- 60620 BOTTOM BOARD TAPE - BLACK
2" X 36 YARDS

SPRAY ADHESIVE

MULTI-PURPOSE FOR BOTTOM BOARD,
LINOLEUM, CARPET, ETC.



- 433824 16 OUNCE CAN - 12/CTN

TRAILER GLITTER WASH

ADDS SPARKLE TO RV'S,
MOBILE HOMES & BOATS
- EASY GRIP BOTTLE



- 444051 1 GALLON BOTTLE - 4/CTN

SPRAY ADHESIVE

MULTI-PURPOSE FOR BOTTOM BOARD,
LINOLEUM, CARPET, ETC.



- 43RCD52 16 OUNCE CAN

WD-40 LUBRICANT

PREVENTS RUST - FREES CABLES
STOPS SQUEAKS
LUBRICATES LOCKS, TOOLS,
SLIDING WINDOWS,
LAWN MOWERS,
FISHING GEAR, BIKES,
SEWING MACHINES,
AND MORE!



- 604011 8 OUNCE SPRAY CAN - 12/CTN



Please visit our website at
www.stylecrestproducts.com

CARPET ARMOUR

- 3 MIL., NON-SKID POLYETHYLENE FILM WITH WATER-SOLUBLE PRESSURE SENSITIVE ADHESIVE
- PROTECTS CARPET IN DISPLAY HOMES & RV'S
- EASY APPLICATION

6018200 18" X 200' ROLL—6/CTN
 60181000 18" X 1000' ROLL—1/CTN

6024200 23-1/2" X 200' ROLL—6/CTN
 60241000 23-1/2" X 1000' ROLL—6/CTN



FLOOR ARMOUR

FOR LINOLEUM, WOOD AND NON-POROUS FLOORS NO APPLICATOR NEEDED



6025200 24" X 200' ROLL / BLUE COLOR

CARPET ARMOUR APPLICATOR


FOR ROLLS 24" TO 36"



602436 CARPET ARMOUR APPLICATOR 24' TO 36"

SQUEAK - ENDER

SOLUTION TO SQUEAKY FLOORS



602084 INSTALL FROM UNDER SIDE OF FLOOR

BOTTOM CLOSURE TAPE


MENDING MATERIAL
 SOLID COATED FABRIC W/ADHESIVE



60600 TAPE 6" X 180' TO REPAIR LONG SLITS AROUND AC OR WATER LINES - 12/CTN
 602825 ROLL 28" X 25' FOR ANY SIZE PATCH - 20/CTN

SAG - ENDER

SOLUTION TO THOSE ANNOYING SUB-FLOOR SAGS, DIPS AND WEAK SPOTS




603827 SAG-ENDER FOR FLOORS

BOTTOMBOARD REPAIR KITS

60101 BOTTOMBOARD 30"X100' ROLL
 601470 BOTTOMBOARD 172"X70'
 602881 KIT CONTENTS:

- 10 SQUARE FEET WITH ADHESIVE (54" X 28")
- 20 SQUARE FEET NON ADHESIVE (108" X 28")
- POLYETHYLENE BOTTOMBOARD



Please visit our website at www.stylecrestproducts.com